EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	273	pld and crossbar and switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/09 07:49
L2	296	(pld or fpga or (programmable adj logic adj device)) and crossbar and switch and latency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/09 07:50
L3	202	(pld or fpga or (programmable adj logic adj device)) and crossbar and switch and latency and delay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/09 07:50
L4	167	(pld or fpga or (programmable adj logic adj device)) and crossbar and switch and latency and delay and cycle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/09 07:51
L5	146	(pld or fpga or (programmable adj logic adj device)) and crossbar and switch and latency and delay and cycle and input and output	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/09 07:51
L6	107	(pld or fpga or (programmable adj logic adj device)) and crossbar and switch and latency and delay and cycle and input and output and stage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/09 08:06
L7	58	(pld or fpga or (programmable adj logic adj device)) and crossbar and switch and latency and delay and cycle and input and output and stage and (reconfigur$3 or reprogram$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/09 08:07
L8	58	(pld or fpga or (programmable adj logic adj device)) and crossbar and switch and latency and delay and cycle and input and output and stage and (reconfigur$3 or reprogram$4) and number	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/09 08:10

EAST Search History

L9	0	(pld or fpga or (programmable adj logic adj device)) and crossbar and switch and latency and delay and cycle and input and output and stage and (reconfigur$3 or reprogram$4) and ("same adj number adj2 clock adj cycle")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/09 08:11
L10	0	(pld or fpga or (programmable adj logic adj device)) and crossbar and switch and latency and delay and cycle and input and output and stage and (reconfigur$3 or reprogram$4) and ("equal adj number adj2 clock adj cycle")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/09 08:11
L11	0	(pld or fpga or (programmable adj logic adj device)) and crossbar and switch and latency and delay and cycle and input and output and stage and (reconfigur$3 or reprogram$4) and ("(equal$2 or same) adj number adj2 clock adj cycle")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/09 08:12
S1	220	pld and crossbar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/09 07:48
S2	14	pld and crossbar and multi-stage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 09:03
S3	137	crossbar same multi-stage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 08:55
S4	41	crossbar same multi-stage same input same output	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 09:01
S5	8	crossbar same multi-stage same input same output same select$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 08:56

EAST Search History

S6	0	S1 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 09:02
S7	0	pld and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 09:02
S8	1	clb and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/03 09:03
S9	563	(pld or fpga) and crossbar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 10:33
S10	108263	(clb or le) and interconnect$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 10:34
S11	149	S9 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 10:34
S12	74	reconfigur$3 adj4 pld	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 13:52
S13	43686	crossbar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 13:45

EAST Search History

S14	5	S12 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 13:42
S15	1608	crossbar same stage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 13:45
S16	0	crossbar same stage same partially same reconfigur$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 13:46
S17	4	crossbar same partially same reconfigur$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 13:46
S18	0	crossbar same (configur$3 adj3 block) same reconfigur$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 13:50
S19	18	crossbar same block same reconfigur$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 13:51
S20	123	reconfigur$3 adj7 (programmable adj4 logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 13:55
S21	4	reconfigur$3 same (programmable adj4 logic) same crossbar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 13:53

EAST Search History

S22	4865	crossbar adj switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 12:41
S23	115	reconfigur$3 same (crossbar adj switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 13:09
S24	9	reconfigur$3 same (crossbar adj switch) same (partial$2 or portion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 12:42
S25	13252	pld	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 13:09
S26	107	S22 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/07 13:09
S27	63	(pld and crossbar) and reconfigur$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 09:52
S28	1633565	multi-stage or "stages"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 09:52
S29	33	S27 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 09:57

S30	2007	(716/1,14,16).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 09:57
S31	70	(crossbar adj switch) same (multi-stage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 09:58
S32	0	S30 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 09:58
S33	3357	(716/1,12-14,16-17).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 07:19
S34	3202	(326/38-41).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 07:19
S35	3561	(370/389,398).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 07:19
S36	642	(710/316).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 07:20
S37	2580	(713/1,100).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/20 07:20

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((pld or (programmable adj logic adj device)) and crossbar and switch and configurable and (partially or dynamically or portion) and portion and stage).clm.	US-PGPUB; USPAT	OR	ON	2006/08/09 07:46
S1	0	((pld or (programmable adj logic adj device)) and crossbar and switch and configurable and (partially or dynamically or portion) and portion and stage and first and second and third).clm.	US-PGPUB; USPAT	OR	ON	2006/08/09 07:46

IEEE *Xplore*©
RELEASE 2.1

Welcome United States Patent and Trademark Office

📧Search Results

BROWSE   **SEARCH**   **IEEE XPLORE GUIDE**   **SUPPORT**

Results for "((crossbar switch and programmable logic device and latency)<in>metadata)"

✉e-mail 🖨 printer friendly

Your search matched **0** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History

New Search

Modify Search

((crossbar switch and programmable logic device and latency)<in>metadata)   Search »

☐ Check to search only within this results set

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Display Format: ⦿ Citation   ◯ Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

Indexed by
🔲 Inspec®

P⬤RTAL

Subscribe (Full Service)   Register (Limited Service, Free)   Login

Search: ⦿ The ACM Digital Library   ○ The Guide

| +croasbar +switch +programmable +logic +device +latency + | **SEARCH** |

Nothing Found

Your search for **+croasbar +switch +programmable +logic +device +latency +clock +cycle** did not return any results.

You may want to try an Advanced Search for additional options.

Please review the Quick Tips below or for more information see the Search Tips.

Quick Tips

- Enter your search terms in lower case with a space between the terms.

      sales offices

  You can also enter a full question or concept in plain language.

      Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

      John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

      "museum of natural history" "museum of modern art"

- Narrow your searches by using a **+** if a search term must appear on a page.

      museum +art

- Exclude pages by using a **-** if a search term must not appear on a page.

      museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

      museum +"natural history" dinosaur -Chicago